

ANNEX 1

Distribution and Supply License Nos : EL/D/09-003, EL/D/09-004, EL/D/09-005 and EL/D/09-006 ALLOWED CHARGES FOR 2022 - Ceylon Electricity Board (CEB)

Preamble

- (1) Allowed charges published herewith, provides the maximum fee that Distribution and Supply Licensees can charge from a customer for specific services during the year 2022.
- (2) The charges have been approved by the Commission following scrutiny of the filing done by the Licensees based on the approved methodology for determination of such charges.
- (3) The charges published herewith covers only commonly required services provided by the Licensees. For determination of charges of other services, rates and calculations provided in Standard Construction Costs 2022 of CEB shall apply.

Abbreviations

A	ampere	AAC	All Aluminum Conductor
kV	kilo volt	ABC	Arial Bundled Conductor
kVA	kilovolt ampere	sq mm	Square Milimeter
LV	Low Voltage	MV	Medium Voltage
LT	Low Tension		

SERVICE CONNECTION CHARGES

Charge Structure

- (i) For Single phase 30A overhead retail service connections (Domestic and Religious Categories) a common (flat) charge is applicable up to 50m. CEB should bear the cost of development of the network up to the boundary of the land of the consumer. Cost of service connection beyond 50m inside the premises shall be borne by the consumer at the given rate.
- (ii) For Three phase (30A and 60A) overhead retail service connections (Domestic and Religious Categories) a common (flat) charge is applicable up to 50m. Cost of service connection beyond 50m inside the premises shall be borne by the consumer at the given rate.
- (iii) For Single phase 30A overhead retail service connections (other than Domestic and Religious Categories) a common (flat) charge is applicable up to 50m. CEB should bear the cost of development of the network up to the boundary of the land of the consumer. Cost of service connection beyond 50m inside the premises shall be borne by the consumer at the given rate.
- (iv) For Three phase (30A and 60A) overhead retail service connections (other than Domestic and Religious Categories) a common (flat) charge is applicable up to 50m. Cost of service connection beyond 50m shall be borne by the consumer at the given rate.

(A) Allowed Charges for Retail Service Connections

(1.0) Overhead service connections (< 42 kVA) from the existing (low voltage) distribution network

No	Type of Service Connection	Common Charge (Rs)	Variable charge (beyond 50m upto 110m)
1.1	30 A, Single Phase retail	27,000	1,160
1.2	30 A, Three Phase retail	43,500	2,534
1.3	60 A, Three Phase retail	49,000	2,534
1.4	Conversion, 30A single phase to 30A three phase, retail	41,000	2,534
1.5	Conversion, 30A single phase to 60 A three phase, retail	45,500	2,534

* Variable charge indicated above is only applicable for additional distance beyond 50m

Notes:

- (1) Common and variable charges indicated above shall be used irrespective of the number of service poles or quantities of other standard materials required. Any additional materials / works other than those of standard retail supply service connections can be charged separately.
- (2) A single variable rate for lengths above 50m is applicable as indicated above upto 110m. Beyond 110m, standard rates of LV ABC shall be applicable.
- (3) Special technical requirements are applicable for service connections to welding plants, metal crushers, and saw mills etc. which cause disturbances to other customers connected to the same feeder. Technical requirements and Charges for such service connections shall be determined as per 'CEB Standard Construction Cost - 2022'.
- (4) If the licensee uses assets which have already been installed to provide other service connections, costs of those assets shall not be included in the final charge for the new service connection, unless a mechanism for the "Reimbursement of Charges Recovered from a Customer" (According to the section 7.3 of the approved Methodology for Charges) has been implemented by the licensee.

(2.0) Underground service connections (< 42 kVA) from the existing (low voltage) distribution network

No	Type of Service Connection	Fixed Charge (Rs) (up to 5m)	Variable charge for distance in excess of 5m (Rs/m)
2.1	15 A/30A Single Phase (16 sqmm cable)	77,000	6,450
2.2	30 A, Three Phase (16 sqmm cable)	101,000	7,100
2.3	60 A, Three Phase	111,250	7,800

		Fixed Charge (Rs) (up to 2m)	Variable charge for distance in excess of 2m (Rs/m)
2.4	15A/30A Single Phase Loop Service	9,500	170
2.5	15A/30A Three Phase Loop Service	23,500	620
2.6	60A Three Phase Loop Service	25,000	1,360

Notes:

- (1) Fixed and variable charges indicated above shall be used irrespective quantities of standard materials required. Any additional materials / works other than those of standard retail supply service connections can be charged separately.

(B) Allowed Charges for Bulk Supply Connections

(1) Bulk Supply Connections from overhead network

(1.a) Bulk Supply Connections above 42kVA upto 99kVA and Conversion of existing connections of capacities lower than 42 kVA

Type	Capacity Cost (Rs./kVA)	Fixed Component (Rs.)
70 kVA -99kVA	35,610	(1,571,740)

**Fixed cost component is negative in this case (not a standardized charge)*

- i) This cost includes the cost of providing the requested supply inclusive of metering equipment if the customer premises are within 50m distance from existing LV line.
- ii) The balance cost for the construction of Substation, has to be borne by CEB under System Augmentation funds.
- iii) Cost of LV line to be charged for connections beyond 50m off the existing line at the given rates.
- iv) However, the total low voltage line lengths should be less than 200m for 70 kVA connections and 100m for 95 kVA connections from the substation. If the customer premises is beyond the specified length here, a new substation along with a Medium Voltage line should be constructed.
 - a. The cost of substation shall be borne by CEB.
 - b. CEB shall also bear 50% of the cost of new MV line from existing MV network upto the consumer premises.
 - c. The remaining 50% of the MV line cost will be charged from the customer at the variable cost for MV lines.
 - d. The full cost of the MV line beyond the boundary of the premises (If applicable) shall be paid by the consumer.

These rates are applied for the consumer categories 'General Purpose', 'Industry', 'Hotel' and 'Government'.

(1.b) Bulk Supply Connections from Overhead Network (100kVA to 1000kVA)

	11kV	33kV
Fixed Cost (Rs.)	1,016,088	1,166,013
Variable Cost per kVA (Rs.)	5,010	4,920

Notes :

- I. The above charges are for outdoor type substation constructions
- II. Transformer plinth and meter cubicle should be provided by the customer. Additional LV cables (after the meter cubicle) can be charged separately.
- III. Cost of augmentation of existing connections shall be determined on the same per kVA basis as indicated in the table.
- IV. If a new MV line has to be constructed for bulk supply connection, 50% of the MV line construction cost upto the customer boundary shall be charged by the consumer and the balance will be borne by CEB under system augmentation funds. If any MV line length has to be constructed within the customer premises, the total cost of that line length shall be charged from the customer.
- V. For connections above 1000kVA capacity, charges will be estimated on case by case basis in accordance with CEB Standard Construction Cost - 2022.

(2) Bulk Supply Connections from Underground Network

No	Type of Service Connection	Common Charge (Rs)	Variable Charge (Rs)
2.1	70kVA, Three phase connection	2,389,000	N/A
2.2	112kVA, Three phase connection	2,984,000	N/A
2.3	113kVA up to 1000kVA connections	2,113,675	10,727 per kVA

Notes :

- I. Above charges for connections from feeder Pillar (70kVA and 112kVA) includes the cost of LV cable from feeder pillar, MCCB, bulk supply meter enclosure, current transformers and energy meter.
- II. Above charges for connections from satellite substations (201kVA upto 1000kVA) includes the cost of cable from 11kVsatellites underground cable network upto the busbar chamber including the cost of RMU, Transformer, MCCB, except metering equipment.
- III. Above cost estimate for connections from ring or radial substations (1MVA upto 16MVA) includes the cost of ring cables from 11kV ring underground cable network upto the substation including two ring panels, bus section panel, earthing system. These values are intended to be used as guideline for preparation of estimates and not a standardized charge.
- IV. For other types of lines (not indicated above) rates provided in CEB Standard Construction Cost - 2022 shall apply.
- V. Type of the line required shall be determined based on technical requirements.

(C) Allowed charges for Low Voltage (230/400 V) and MV (11kV and 33kV) Overhead Lines

The following charges / rates shall apply for standard overhead line constructions which are applicable for preparation of case by case estimates

No	Type of Line	Charge (Rs/km)
1.1	LV, Three Phase, ABC 3x70+54.6 sq mm conductor	2,534,000
1.2	LV, Three Phase, ABC 3x95+70 sq mm conductor	2,700,000
1.3	LV, Three Phase, ABC 3x70+54.6+16 sq mm conductor (for real estate development)	2,985,000
1.4	LV, Three Phase, ABC 3x70+54.6 sq mm conductor(Subsidized charge by CEB for govt, DCB,PCB funded projects)	2,459,000
1.5	LV, Three Phase, ABC 3x95+70 sq mm conductor(Subsidized charge by CEB for govt, DCB,PCB funded projects)	2,625,000
1.6	11 kV, Three Phase, Raccon (7/4.09mm) Conductor on 10 m poles	3,827,000
1.7	11 kV, Three Phase, Raccon (7/4.09mm) Conductor on 11m poles	4,484,000
1.8	33 kV, Three Phase, Raccon (7/4.09mm) Conductor on 10m poles	4,250,000
1.9	33 kV, Three Phase, Raccon (7/4.09mm) Conductor on 11m poles	4,913,000

Notes :

- VI. For other types of lines (not indicated above) rates provided in CEB Standard Construction Cost - 2022 shall apply.
- VII. Type of the line required shall be determined based on technical requirements.

(D) ALLOWED CHARGES FOR MISCELANIOUS SERVICES

No	Type of Service	Charge (Rs)
1	Disconnection at the customer's request	3,000
2	Reconnection at the customer's request	3,000
3	Reconnection after a statutory disconnection	3,000
4	Testing of an energy or energy/demand meter (230 V)	4,200
5	Testing of a three phase energy meter (less than 42kV)	5,800
6	Testing of an energy/demand meter and associated equipment used at 400 V	15,350
7	Testing of an energy or energy/demand meter and associated equipment (used at voltages higher than 400 V)	15,350
8	Installation testing	CCE
9	Changing an account name and/or the tariff category	Free of Charge
10	Changing an energy or energy/demand meter	Free of charge for changing defective meters. For other cases CCE shall apply.
11	Provision of temporary electricity supply	CCE
12	Augmentation of an existing electricity supply	CCE (as per approved guidelines)
13	Issuing an estimate for Shifting of poles/lines/transformer/ any other electrical plant	2,500 (Deductible from the estimate)
14	Shifting of poles/lines/transformer/ any other electrical plant	CCE
15	Clearing of way leaves	CCE based on compensation charges decided by Divisional Secretaries and cost of removing way leaves.
16	Issuing a clearance report Upto 1MVA (deductible from the estimate) Above 1MVA (deductible from the estimate)	10,000 15,000
17	Issuing a Duplicate Bill	Free of Charge
18	Grid interconnection of Generation facility	CCE
19	Repair of damages to service connection wire: Responsibility of removing way leaves along the path of service connection wire rests with the consumer. Cost of repair to service wire due to non-removing of way leaves is to be charged from the respective consumer.	CCE
19	Connection charges for Net Metering/Net Accounting/Net Plus schemes <ul style="list-style-type: none">• Application Processing Charge ($\leq 42\text{kVA}$)• Application Processing Charge ($> 42\text{kVA}$)• 1phase Net Metering Connection• 3 phase Net Metering Connection	6,500 18,000 19,000 34,000

	<ul style="list-style-type: none"> • Above 42 KVA • Testing fee 1ph • Testing fee 3ph 	CCE 7,700 9,700
20	Standard Rate for Ordinary Supply Customers to Change over to the time of day tariff One time charge for re programming the meter <ul style="list-style-type: none"> • 1 phase Connection = Rs. 12,300 • 3 phase Connection = Rs. 13,900 Based on availability, The existing single rate meter shall be replaced with a programmable 3 phase 3 wire meter or a Direct Connected single phase meter free of change.	
21	Professional fee of independent professional who conduct investigations for the purposes of individual power quality assessment under section 36(a) of Electricity (Distribution) Performance Standard Regulations For Single Phase = Rs. 15,000 For Three Phase = Rs. 20,000 (The customer who applies for investigation shall make a deposit equal to this amount to the distribution licensee) individual power quality assessment	

*CCE – Case by Case Estimate by the Licensee based on Standard Construction Cost – 2022 and Price List of Materials 2022 issued by CEB